

03	NP3033CP NPB3033CP
04	NCE08N3CP NCF08N3CP
05	NCP6033CP-A NCP6033CP NCP6033CP-L
06	NCP7033CP-A NCP7133CP NCP7033CP NCP7033CP-L
07	NCPS883CP NCPS883CP-L NCP8883CP NCP8883CP-L
09	NCP9053CP-A NCP9053CP NCP9053CP-L
10	NCPS803CP NCPS803CP-L
11	NCPB13WE NCPA183CP
12	NCPC153CP-W NCPC183CP-W
13	NCD1N3CP NHD1N3CP NHD1NV3CP
14	NCD2N3CP NHD2N3CP NHD2NV3CP
15	NCD3N3CP NCD4N3CP NHD4N3CP NHD4NV3CP
16	NHCD10CP NCD8S3BD
17	NHCD1S3PD NHAD1S3PD NSCD1S3PD
18	NHCD2S3PD NHAD2S3PD NSCD2S3PD
19	NHCD3S3PD NHAD3S3PD NSCD3S3PD
20	NHCD4S3PD NHAD4S3PD NSCD4S3PD
21	NPHCD7CP NPSCD7CP
22	NPHCD11CP NPHAD11CP NPSCD11CP
23	NPHCD12CP NPHAD12CP NPSCD12CP
24	NPFCD133CP
25	NKDPS1212CP-LAB
26	NKDP1212CP-LAB
27	NKDP0112CP-LAB
28	NKDP0212CP-LAB
29	NKDPS0212CP-AB
30	NKDP0312CP-LAB NKD04N12CP-LAB
31	NKD05BN12CP-AB
32	NKDP07V12CP-AB
33	NKD22N12CP-LAB NKDP2712CP-LAB
34	NKDP3212CP-LAB NKDP3512CP-LAB
35	NKDP3712CP-LAB NKDP3812CP-LAB NKDP3912CP-LAB
36	NKDP4212CP-FCAB NKDP4212CP-FHAB NKDP4212CP-FSAB

37	NKD25N12CP-AB NKDP2612CP
38	NKDP3312CP NKDP3412CP NKDP3612CP
39	NKD49N12CP-AB
40	NKD48N12CP-AB
41	NKD51N12CP-AB
42	NKDS0212CP-L
43	NCPV133CP NCPV203CP NCPV633GCP
44	NCPV6033CP NCPV6033CP-A
45	NCPV633CP NCPV633CP-A
46	NCPV7033CP NCPV7033CP-A
47	NCPV883CP NCPV8883CP
48	NCPV9053CP NCPV9053CP-A
49	NCPV893CP NCPV833CP NCPV803CP

Electroplating


















Available with:

- air gap
- tubing attached
- quick connector
- multiple spouts
- 2" or 3" shank
- LED timer indicator (NCP7033CP-L)






Available with:

- air gap
- tubing attached
- quick connector
- 2" or 3" shank
- LED timer indicator (NCPS883CP-L | NCP8883CP-L)
- Not available for Germany (NCP8883CP | NCP8883CP-L)













/ Matt Black





#### Powder coating





- tubing attached
- quick connector
- 2" or 3" shank
- white or yellow finished
- non NSF compliant

- tubing attached
- quick connector
- multiple spouts
- 2" or 3" shank
- LED timer indicator
- NSF compliant



- Available with:
- tubing attached
- quick connector
- 2" or 3" shank
- LED timer indicator
- chrome plated finish only

# Certified to NSF/ANSI 61

## > NCD1N3CP

- cold only
- lead-free brass
- 2", 3" or 4" shank

#### > NHD1N3CP

- hot only
- lead-free brass
- 2" , 3" or 4" shank
- auto-return

### > NHD1NV3CP

- hot only (vented faucet)
- lead-free brass
- auto-return
- teflon/LLDPE
   (3 tubing installed)

Electroplating
/ Chrome Plated
/ Antique Brass
/ Antique Wine
/ Brushed Nickel
/ Antique Bronze

/ Bright Golden





## NCD2N3CP

- cold only
- lead-free brass
- 2", 3" or 4" shank

#### NHD2N3CP

- hot only
- lead-free brass
- 2" , 3" or 4" shank
- auto-return

#### NHD2NV3CP

- hot only (vented faucet)
- lead-free brass
- auto-return
- teflon/LLDPE (3 tubing installed)

Electroplating

/ Chrome Plated
/ Antique Brass
/ Antique Wine
/ Brushed Nickel
/ Antique Bronze

/ Bright Golden





- cold only
- lead-free brass
- 2", 3" or 4" shank



- cold only
- lead-free brass
- 2", 3" or 4" shank



- hot only
- lead-free brass
- 2", 3" or 4" shank
- auto-return



- hot only (vented faucet)
- lead-free brass
- auto-return
- teflon/LLDPE (3 tubing installed)







## NHCD10CP

- hot and cold (vented faucet)
- auto-return built-in hot handle
- 3 tubing installed
- NSF compliant
- WaterMark compliant

## NCD8S3BD

- available with air gap
- stainless steel #304
- polished or brushed finish only
- filtered and cold (single handle w/two directions)
- non NSF compliant
- non WaterMark compliant











#### NHCD1S3PD

- hot and cold (vented faucet)
- stainless steel #304
- polished or brushed finish
- auto-return built-in hot handle
- teflon/LLDPE (3 tubing installed)



- hot and chilled
- stainless steel #304
- polished or brushed finish
- auto-return built-in hot handle
- teflon/LLDPE (2 tubing installed)



- sparkling and chilled
- stainless steel #304
- polished or brushed finish
- auto-return built-in sparkling handle
- LLDPE (2 tubing installed)





# NHCD2S3PD

- hot and cold (vented faucet)
- stainless steel #304
- polished or brushed finish
- auto-return built-in hot handle
- teflon/LLDPE (3 tubing installed)

# NHAD2S3PD

- hot and chilled
- stainless steel #304
- polished or brushed finish
- auto-return built-in hot handle
- teflon/LLDPE (2 tubing installed)

# NSCD2S3PD

- sparkling and chilled
- stainless steel #304
- polished or brushed finish
- auto-return built-in sparkling handle
- LLDPE (2 tubing installed)





#### NHCD3S3PD

- hot and cold (vented faucet)
- stainless steel #304
- polished or brushed finish
- auto-return built-in hot handle
- teflon/LLDPE (3 tubing installed)

#### NHAD3S3PD

- hot and chilled
- stainless steel #304
- polished or brushed finish
- auto-return built-in hot handle
- teflon/LLDPE (2 tubing installed)

#### NSCD3S3PD

- sparkling and chilled
- stainless steel #304
- polished or brushed finish
- auto-return built-in sparkling handle
- LLDPE (2 tubing installed)





## > NHCD4S3PD

- hot and cold (vented faucet)
- stainless steel #304
- polished or brushed finish
- auto-return built-in hot handle
- teflon/LLDPE (3 tubing installed)

#### > NHAD4S3PD

- hot and chilled
- stainless steel #304
- polished or brushed finish
- auto-return built-in hot handle
- teflon/LLDPE
   (2 tubing installed)

#### > NSCD4S3PD

- sparkling and chilled
- stainless steel #304
- polished or brushed finish
- auto-return built-in sparkling handle
- LLDPE (2 tubing installed)





#### NPHCD7CP

- hot and cold
- plastic internal body
- teflon/LLDPE (2 tubing installed)
- auto-return built-in hot handle

## NPSCD7CP

- sparkling and chilled
- plastic internal body
- LLDPE
  - (2 tubing installed)











# NPHCD11CP

- hot and cold (vented faucet)
- auto-return built-in hot handle
- plastic internal body
- teflon/LLDPE (3 tubing installed)
- NSF compliant
- WaterMark compliant

## NPHAD11CP

- hot and chilled
- auto-return built-in hot handle
- plasic internal body
- teflon/LLDPE (2 tubing installed)
- non NSF compliant
- non WaterMark compliant







## NPHCD12CP

- hot and cold (vented faucet)
- with safety mechanism & auto return
- plastic internal body
- teflon/LLDPE (3 tubing installed)
- NSF compliant
- WaterMark compliant

#### NPHAD12CP

- hot and chiled
- with safety mechanism & auto return
- plasic internal body
- teflon/LLDPE (2 tubing installed)
- non NSF compliant
- non WaterMark compliant

#### NPSCD12CP

- sparkling and chilled
- with safety mechanism & auto return
- plasic internal body
- LLDPE (2 tubing installed)
- non NSF compliant
- non WaterMark compliant









• 45mm big base for US/CA market



# NKDPS1212CP-LAB

- tri-flow faucet hot/cold and filter water with LED timer indicator
- options with 3/8" and 1/2" steel-wire-braided connection hoses
- the connecting hose is 1.5 feet long, also available in longer models
- plastic internal body
- non LED timer indicator (NKDPS1212CP-AB)



#### NKDP1212CP-LAB

- tri-flow faucet hot/cold and filter water with LED timer indicator
- options with 3/8" and 1/2" steel-wire-braided connection hoses
- the connecting hose is 1.5 feet long, also available in longer models
- available with solid brass (NKD12N12CP-LAB)
- non LED timer indicator (NKDP1212CP-AB)







## NKDP0112CP-LAB

- tri-flow faucet hot/cold and filter water with LED timer indicator
- options with 3/8" and 1/2" steel-wire-braided connection hoses
- the connecting hose is 1.5 feet long, also available in longer models
- available with solid brass (NKD01N12CP-LAB)
- non LED timer indicator (NKDP0112CP-AB)





- tri-flow faucet hot/cold and filter water
- options with 3/8" and 1/2" steel-wire-braided connection hoses
- the connecting hose is 1.5 feet long, also available in longer models





## NKDP0312CP-LAB

## NKD04N12CP-LAB

- tri-flow faucet hot/cold and filter water with LED timer indicator
- options with 3/8" and 1/2" steelwire-braided connection hoses
- the connecting hose is 1.5 feet long, also available in longer models
- available with solid brass (NKD03N12CP-LAB)
- non LED timer indicator (NKDP0312CP-AB | NKD04N12CP-AB)





# NKD05BN12CP-AB

- tri-flow faucet hot/cold and filter water
- operated by single handle
- options with 3/8" and 1/2" steel-wire-braided connection hoses
- the connecting hose is 1.5 feet long, also available in longer models
- solid brass body



## NKDP07V12CP-AB

- tri-flow vented faucet hot/cold and instant hot water
- options with 3/8" and 1/2" steelwire-braided connection hoses
- the connecting hose is 1.5 feet long, also available in longer models
- available with safety mechanism
   & auto return









NKD22N12CP-LAB

## NKDP2712CP-LAB

- tri-flow faucet hot/cold and filter water with LED timer indicator
- options with 3/8" and 1/2" steelwire-braided connection hoses
- the connecting hose is 1.5 feet long, also available in longer models
- non LED timer indicator (NKD22N12CP-AB | NKDP2712CP-AB)





NKDP3212CP-LAB


## NKDP3512CP-LAB

- tri-flow faucet hot/cold and filter water with LED timer indicator
- options with 3/8" and 1/2" steelwire-braided connection hoses
- the connecting hose is 1.5 feet long, also available in longer models
- plastic internal body
- non LED timer indicator (NKDP3212CP-AB | NKDP3512CP-AB)









NKDP3812CP-LAB

#### NKDP3912CP-LAB

- tri-flow faucet hot/cold and filter water with LED timer indicator
- options with 3/8" and 1/2" steelwire-braided connection hoses
- the connecting hose is 1.5 feet long, also available in longer models
- plastic internal body
- non LED timer indicator (NKDP3712CP-AB | NKDP3812CP-AB | NKDP3912CP-AB)





#### NKDP4212CP-FCAB

- four-flow faucet filter/chilled and hot/cold water
- options with 3/8" and 1/2" steel -wire-braided connection hoses
- the connecting hose is 1.5 feet long, also available in longer models
- plastic internal body

#### NKDP4212CP-FHAB

- four-flow faucet filter/purified hot and hot/cold water
- options with 3/8" and 1/2" steel -wire-braided connection hoses
- the connecting hose is 1.5 feet long, also available in longer models
- plastic internal body

#### NKDP4212CP-FSAB

- four-flow faucet filter/sparkling and hot/cold water
- options with 3/8" and 1/2" steel -wire-braided connection hoses
- the connecting hose is 1.5 feet long, also available in longer models
- plastic internal body





Electroplating





## NKD25N12CP-AB

- cold and hot faucet (city water only)
- options with 3/8" and 1/2" steelwire-braided connection hoses
- the connecting hose is 1.5 feet long, also available in longer models



Chrome Plated



Antique Wine



Brushed Nickel



Antique Bronze



Bright Golden

















Red



Bright Black



Oil Rubbed Bronze



Matt Black



- the connecting hose is 1.5 feet long, also available in longer models
- plastic internal body





• plastic internal body



/ Bright Black

/ Matt Black

/ Oil Rubbed Bronze


/ Antique Bronze


/ Bright Golden



### NKD49N12CP-AB

- tri-flow faucet hot/cold and filter water with folding swivel spout
- operated by single handle
- options with 3/8" and 1/2" steel-wire-braided connection hoses
- the connecting hose is 1.5 feet long, also available in longer models
- typically used with under window sinks






- options with 3/8" and 1/2" steel-wire-braided connection hoses
- the connecting hose is 1.5 feet long, also available in longer models



### NKD51N12CP-AB

- tri-flow faucet hot/cold and filter water
- options with 3/8" and 1/2" steel-wire-braided connection hoses and copper connector tubes
- the connecting hose is 1.5 feet long, also available in longer models





# NKDS0212CP-L

- tri-flow faucet hot/cold and filter water with LED timer indicator
- available in 2 spout sizes for easily washing the primary and secondary sink applications
- the hose comes with ball joint for quit, ligh and easy operation
- an innovative design makes it shift effortlessly
- chrome plated or brushed nickel finish



# NCPV133CP

# NCPV203CP

Available with:

- 2" or 3" plastic shank
- chrome plated finish only

# NCPV633GCP

Available with:

- air gap
- tubing attached
- quick connector
- 2" or 3" plastic shank
- chrome plated finish only


















/ Bright Golden

• LED timer indicator (NCPV9053CP-L)

/ Oil Rubbed Bronze


/ Matt Black

## > NCPV893CP > NCPV833CP > NCPV803CP

Available with:

- air gap
- tubing attached
- quick connector
- 2" or 3" shank
- multiple spouts
- 45mm big base for US/CA market
- LED timer indicator (NCPV893CP-L | NCPV833CP-L | NCPV803CP-L)







T + 886 4 7722201 F + 886 4 7722203



www.likuan.com



No. 79-58, Liaocuo Lane., Lukang Township, Changhua County 505, Taiwan 1

V

12